

RHINO | HEATING, COOLING & DRYING SOLUTIONS

2017

# RHINO

### DO THE JOB RIGHT

Rhino meets your heating, drying and cooling needs with a wide selection of multi-tasking solutions. Manufactured from robust components every appliance is made tough to stand up to the demands of tough applications.

The latest digital and motor technology plus userfriendly features combine to bring you visually striking equipment that delivers outstanding results every time. The changeable UK climate ensures that Rhino equipment is always in demand – especially in times of crisis such as floods, cold snaps and heat waves. From the office and home to the warehouse and on-site portakabin, Rhino gets the job done.

### CONTENTS

#### **INSTANT INFA RED HEATER......4**

RHINO TQ3 HEATER

#### FAN HEATERS...... 5

FH3 FAN HEATER 2KW FAN HEATER 2KW TOWER FAN

#### GAS HEATERS ......6

SPACE HEATER CATALYTIC HEATER GAS CABINET

#### CERAMIC HEATERS ......7

CH3 CERAMIC HEATER

#### CONVECTOR HEATERS......7

2KW CONVECTOR HEATER 2KW TURBO CONVECTOR HEATER

#### RADIATORS ......8

OIL FILLED RADIATOR 2.5W DELUXE OIL HEATER 2.5W OIL HEATER

#### AIR CONDITIONING ......9

9000BTU/HR AIR CONDITIONER 12000BTU/HR AIR CONDITIONER

FANS	10-11
RHINO CROWD COOLER	
AIR WAVE	
RHINO AIR RAID 500	

#### 

#### ACCESSORIES......14

110V 1.4KW INFRA-RED REPLACEMENT TUBE 230V 1.4KW INFRA-RED REPLACEMENT TUBE 110V 1.4KW IRK RUBY SLIM LAMP W/R7S END CN 230V 1.4KW IRK RUBY SLIM LAMP W/R7S END CN 10" DUCTING COLLAR 8" DUCTING COLLAR



#### A high efficiency thermo-quartz heater that's ideal for both temporary heating and drying paintwork & plaster.

- Twin 1400W infra-red elements
- 2 Heat settings
- Integral wheels for easy mobility
- Robust plastic body resists dents and scrapes

# RHINO TQ3 HEATER

Ideal for any application... in the office, warehouse, workshop or on site

> 110V **H029300** 230V **H029400**

Replacement parts: Page 14







### FH3 FAN HEATER

Tough steel construction to withstand the rigours of site conditions. Ideal for heating larger areas across industrial and leisure settings.

110V **H02072** 240V **H02071** 

- 2800W element
- 3 Heat settings
- Lifting handle for easy mobility
- Can be used as a cooler without element

### **2KW FAN HEATER**

Versatile electric fan heater for domestic and small commercial applications. Stands both vertically and horizontally to suit the task and space available.

230V **H02073** 

- 2 Heat levels 1kW & 2kW
- Selector for ambient, warm & hot
- Overheat protection
- Neon Indicator



### **2KW TOWER FAN**

Stylish & efficient 2KW PTC heater. Stands vertically with oscilating mode, digital display and remote control.

- PTC ceramic heating element 1200W/2000W
- 2 Heat settings
- Safety tip over switch
- LED display
- 24 hours timer
- Automatic oscillation
- Remote control



#### SPACE HEATER

Powerful gas space heater provides immediate heat to any large space. 30kW or 50kW available.

30kW **H02245** 50kW **H02247** 

- 230V mains supply
- 100,000 BTU (30kW), 170,000 BTU (50kW)
- 1.5bar Propane regulator included
- 2M gas hose fitted
- Illuminated ON/OFF switch



D 6

### CATALYTIC HEATER

Portable 3.8kW catalytic cabinet heater with 3 heat settings that delivers instant radiant heat where it's needed.

- Piezo spark ignition, suitable for LPG
- Tip-over switch device
- Oxygen depletion sensor device
- Flame failure protection device
- Suitable for up to 15Kg gas cylinder



Portable 4.2kW gas cabinet heater with 3 heat settings that deliver instant radiant heat where it's needed. Ideal for domestic and commercial applications.

- Multi-directional burner
- Piezoelectric ignition
- ODS (oxygen depletion system)
- Anti-tilt safety device
- Flame failure device



### **CH3 CERAMIC HEATER**

A tough, steel cased ceramic heater that's designed to provide instant warmth everywhere from the office to the production line. The highly efficient twin 1400W ceramic heater elements make it a formidable tool for combating the elements.

110V **H02700** 240V **H02701** 

Replacement parts: Page 14



#### **CONVECTOR HEATER**

Portable, silent running room and site heater. Provides instant heat that's adjustable with 3 power settings and thermostat control.

H02218



· Adjustable thermostat control

Twin ceramic elements

LED 'power on' indicator

2 Heat settings

· Overheat protection

.

•

Illuminated switches



#### TURBO CONVECTOR HEATER

This portable heater can be easily mounted onto the wall or used as a free standing heater. Turbo fan to push warm air around the room.

- 3 Heat settings 750/1250W
- Adjustable room thermostat
- Overheat protection
- · Freestanding or wall mounting
- Turbo fan



### **OIL FILLED RADIATOR**

Compact portable size. Silent running room heater.

1.5kW H02240 Size 675x385x160mm (HxWxD) 2kW H02241 Size 675x465x160mm (HxWxD)

- Thermostat control
- Overheat Protection
- 3 Heating Settings
- Tip Over Safety Switch
- Castor Wheels
- Cable Storage
- Integrated Timer (2Kw Model Only)



#### **DIL FILLED RADIATOR**

#### Standard portable. Silent running room heater.

2.5kW Black H03614 Size 675x545x160mm (HxWxD) 2.5kW White H03616 Size 675x545x160mm (HxWxD)

- Thermostat control
- Overheat protection
- 3 Heating settings
- Tip over safety switch
- Castor wheels
- Cable storage
- 24 Hour timer



### **DIL FILLED RADIATOR**

Deluxe remote control & digital applications. Automatic room temperature sensor. Eco mode. Modern 'P' shaped f in design. Silent running room heater.

2.5kW H03613 Size 725x675x210mm (HxWxD)

- · Thermostat control
- Overheat protection
- 3 Heating settings
- · Tip over safety switch
- Castor wheels
- Cable storage
- Child locking function
- Digital 24 hour timer



#### 9000 BTU AIR CONDITIONER

High efficiency air circulator with multiple setting digital controls for rapid moisture removal.

H03607



- Rated input: 999W
- Moisture removal: 1l/hr
- Air circulation: 380m³/hr



#### 12000 BTU AIR CONDITIONER

High efficiency air circulator with multiple setting digital controls for rapid moisture removal.

- Cooling capability: 12000BTU/hr
- Self evaporative (no need for a water tank)
- Electronic control with LED display, timer function and remote control
- 4 in 1 functions (heating, cooling, dehumidifying and fan)



# RHINO CROWD COOLER

fully adjustable, high output - every event covered

A powerful height and tilt adjustable ballasted fan that delivers high output air circulation in large areas.

110V H-CROWD110 230V H-CROWD230

- 5 Blade 50cm diameter balanced fan
- Variable output from 1400m<sup>3</sup>/hr to 9100m<sup>3</sup>/hr
- Height adjustable up to 2.1m
- Available 110V and 230V





3-speed 18" floor fan for instant cooling in workspaces.

- 3 Blade 40cm diameter fan
- 135W motor
- 3 Speed output: 6100m3/hr
- Available 230V







A portable high output industrial fan, made to withstand the demands of all applications – it's as tough as they come.

- 5 Blade 50cm diameter balanced fan
- 780W flush fitted sealed motor
- Variable output from 1400m<sup>3</sup>/hr to 9100m<sup>3</sup>/hr
- Available 110V and 230V

# RHINO AIR RAID 500

amazingly powerful and virtually indestructible

110V H-MAN110 230V H-MAN230



### **RD48 DEHUMIDIFIER**

A highly versatile compact portable dryer that operates automatically via an internal condensate pump.

H03610

- Dual power switch from 110V to 230V
- Efficient 0.78kW motor
- Automatic operation
- Anti-clog design
- Impact-resistant rotomoulded cover
- Max water removal: 48I/day
- Air movement: 350m³/hr



### CARPET DRYER

Powerful, high volume 3-speed carpet dryer for fast moisture evaporation.

240V **H03755** 

- 745W motor
- 3 Speed
- Optional timer
- 230V 4500m<sup>3</sup>/hr output



#### VELO COMPACT AIRMOVER DRYER

Engineered airflow outlet for faster, consistent drying in 5 operating positions. Low noise only 65db & weighs only 10kg.

230V H03753 Size 584x457x229mm (HxWxD)

- 230V
- Motor 0.124kW
- 3 Heating settings
- Stackable
- 4.6M cable with tidy function
- 5 Drying positions
- Robust rotomoulded housing
- Integral kwh counter know the real costs
- Power 0.53 Amps
- Single speed
- Easy maintainance





A 3-in-1 air mover designed to cool, ventilate and extract clean or dirty air from both restricted and open environments.

- 6 Blade 31cm diameter balanced fan
- 550W motor
- Single speed output: 3250m3/hr
- Available 110V and 230V

# RHINO FUME EXRACTOR

tough all-rounder - made for industry

110V **H03033** 230V **H03034** 

Ducting available separately: Page 14





For use with CH3 Ceramic Heater.

110V H02115 230V H02111

#### DUCTING

For use with Rhino Fume Extractor. 305mm x 5m H03036

REPLACEMENT IRK RUBY IRK RUBY SLIM LAMP W/R7S END CN

For use with Rhino TQ3 Heater.

110V **H028602** 240V **H028702** 





**RHINO** - designed and distributed by Birchwood Price Tools. Birchwood Price Tools is a trading name of the BSS Group Limited